

# SAFETY DATA SHEET

## WYNN'S (R) ULTIMATE FRICTION PROOF

Infosafe No.: LQ7XA  
ISSUED Date : 13/07/2017  
ISSUED by: ITW AAMTECH

### 1. IDENTIFICATION

**GHS Product Identifier**

WYNN'S (R) ULTIMATE FRICTION PROOF

**Product Code**

82912

**Company Name**

ITW AAMTECH (ABN 63 004 235 063)

**Address**

1-9 NINA LINK DANDENONG SOUTH  
VIC 3175 Australia

**Telephone/Fax Number**

Tel: 1800 177 989

Fax: +61 2 9725 4698; 1800 308 556

**Emergency phone number**

1800 638 556

**E-mail Address**

info@aamtech.com.au

**Recommended use of the chemical and restrictions on use**

Treatment for engine oils.

**Disclaimer**

Australia:

24 HOUR EMERGENCY CONTACT (Chemical Safety International): 1 800 638 556

Poisons Information Centre (Australia): 13 11 26

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients**

Name	CAS	Proportion
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>80-<100 %
Ingredients determined not to be hazardous.		Balance

## 4. FIRST-AID MEASURES

---

### **Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### **Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

### **Skin**

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

### **Eye contact**

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### **First Aid Facilities**

Eyewash and normal washroom facilities.

### **Advice to Doctor**

Treat symptomatically.

### **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## 5. FIRE-FIGHTING MEASURES

---

### **Suitable Extinguishing Media**

Carbon dioxide, dry chemical or foam.

### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### **Specific Hazards Arising From The Chemical**

This product will burn if exposed to fire.

### **Decomposition Temperature**

Not available

### **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## 6. ACCIDENTAL RELEASE MEASURES

---

### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

---

### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

### **Storage Regulations**

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **Occupational exposure limit values**

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

### **Biological Limit Values**

No biological limits allocated.

### **Appropriate Engineering Controls**

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

### **Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

### **Other Information**

No exposure standards have been established for this material, however, the TWA exposure standards for refined mineral oil mist is 5 mg/m<sup>3</sup>. As with all chemicals, exposure should be kept to the lowest possible levels.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **Form**

Liquid

### **Appearance**

Clear dark brown liquid, does not mix with water

**Colour**

Clear dark brown

**Odour**

Mild petrochemical odour

**Decomposition Temperature**

Not available

**Melting Point**

-7°C

**Boiling Point**

316°C

**Solubility in Water**

Immiscible

**Specific Gravity**

0.896 (15°C)

**pH**

Not available

**Vapour Pressure**

Negligible (kPa,25°C)

**Vapour Density (Air=1)**

Not available

**Evaporation Rate**

Not available

**Odour Threshold**

Not available

**Viscosity**

Refer to Kinematic Viscosity

**Partition Coefficient: n-octanol/water**

Not available

**Flash Point**

199°C (Closed Cup)

**Flammability**

Not flammable

**Auto-Ignition Temperature**

Not available

**Flammable Limits - Lower**

Not available

**Flammable Limits - Upper**

Not available

**Kinematic Viscosity**

78.9mm<sup>2</sup>/s (40°C)

## 10. STABILITY AND REACTIVITY

---

**Reactivity**

Reacts with incompatible materials.

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Heat, open flames and other sources of ignition.

**Incompatible materials**

Strong oxidising agents.

**Hazardous Decomposition Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

**Possibility of hazardous reactions**

Reacts with incompatible materials.

**Hazardous Polymerization**

Not available

## 11. TOXICOLOGICAL INFORMATION

---

**Toxicology Information**

No toxicity data available for this material.

**Ingestion**

Ingestion may cause irritation to the gastric tract, with stomach pain, nausea and vomiting.

**Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling.

**Eye**

May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Mineral oils, highly-refined is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity**

No ecological data are available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

---

## 14. TRANSPORT INFORMATION

---

**Transport Information**

Road and Rail Transport

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

---

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

S5

---

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

Replaces SDS Created: May 2017

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

#### **Contact Person/Point**

#### **DISCLAIMER:**

This Safety Data Sheet summarises at the date of issue to the best of our knowledge, the health and safety hazards of the product and how to safely handle and use the product.

As ITW AAMTech cannot anticipate or control the conditions under which the product is used, customers are encouraged, prior to usage, to assess and control the risks associated with their use of the product.

Data sheets from unauthorised sources may contain information that is no longer current or accurate.

This SDS is valid for 5 years from date of issue. However, this version may be revoked and revised at any time, and users should contact ITW AAMTech to ensure they are in possession of the latest version.

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.